

# List of All Chemicals

## P Callicarpa americana (Lamiaceae)

### Common name(s)

French Mulberry; American Beauty Berry; Beauty Berry

### How used

Medicinal

\*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Chemical	Part	All	Low PPM	High PPM	StdDev	*Reference
1,8-CINEOLE	Leaf	--	1.0	-0.53	*	
<b>Activities (67)</b>						
(-)Chronotropic 87 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.					
(-)Inotropic 87 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.					
Acaricide LC100=6 uM						
Allelopathic						
Allergenic						
Anesthetic						
Anthelmintic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.					
Antiacetylcholinesterase IC50=41 ug/ml						
Antiallergic	J. Food Hyg. Soc. Jap. 33(6): 569.					
Antibacterial 50 ppm						
Antibronchitic						
Anticariogenic						
Anticatarrh	Martindale's 29th					
Anticholinesterase IC50=50-70						
Antifatigue						
Antihalitotic	American Health, 12(4): 17, 1993.					
Antiinflammatory						
Antilaryngitic						
Antinociceptive						
Antipharyngitic						
Antiplaque						
Antirheumatic						
Antirhinitic						
Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.					
Antisinusitic						
Antispasmodic						
Antistaphylococcic 50 ppm						
Antitussive						
Antiulcer						
CNS-Stimulant						
Candidicide						
Carcinogenic	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.					
Choleretic						
Convulsant						
Counterirritant	Martindale's 29th					
Cytochrome-P450-Inducer						
Decongestant						
Degranulant 0.3 ul/ml						
Dentifrice	Martindale's 29th					
Edemagenic inj						
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.					

FLavor FEMA 1-200	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Gastroprotective	
Gram(+)icide	
Gram(-)icide	
Hepatotoxic	
Herbicide IC50=78 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Hypotensive	
Inflammatory inj	
Insectifuge	
Irritant	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Myorelaxant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Nematicide	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Neurotoxic	
P450-Inducer	
Pediculicide 2.3 x pyrethrin	
Perfume	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Rubefacient	Martindale's 29th
Secretagogue	
Sedative	
Spasmogenic	
Surfactant	
Testosterone-Hydroxylase-Inducer	
Transdermal	
Trichomonicide LD100=1,000 ug/ml	

LIMONENE	Leaf	--	4.0	-0.44	*
----------	------	----	-----	-------	---

## Activities (60)

AChE-Inhibitor	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. &amp; Physiol.</i> , 23, 1985, 383-8.
Acaricide LC100=8 uM	
Allelochemical	
Allergenic 1/20th carene	
Antiacetylcholinesterase IC22-26=1.2 mM	
Antiadenomic	
Antialzheimeran?	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, <i>Oest. Biochem. &amp; Physiol.</i> , 23, 1985, 383-8.
Antiasthmatic	
Antibacterial	Revista Itiliana Eppos, 12: 5, 1994.
Anticancer	
Antiesophagitic	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory	
Antilithic	
Antilymphomtic	
Antimetastatic (Stomach)	
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antiobesity	
Antiseptic	
Antispasmodic ED50=0.197 mg/ml	Fitoterapia No.59-1984.
Antitumor	
Antitumor (Breast)	
Antitumor (Colon)	
Antitumor (Pancreas)	
Antitumor (Prostate)	
Antitumor (Stomach)	
Antiviral	
Apoptotic	
Bronchoprotectant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidstat	
Chemopreventive	
Cholesterolytic	
Detoxicant	
Enterococontractant	J. Aromatherapy 4: 22.
Expectorant	
FLavor	
Fungiphilic	J. Agric. Food Chem. 43: 2283.
Fungistat	
GST-Inducer	
Herbicide IC50=45 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Histaminic	
Immunomodulator	
Insecticide 0.37 uM/fly	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Interleukin-6-Inhibitor	
Irritant	
Lipolytic	
Myorelaxant 50 mg/kg	
NO-Genic	
Nematicide IC=100 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. Phytochemical Resources for Medicine and Agriculture. Plenum Press, New York. 445 pp.
Ornithine-Decarboxylase-Inhibitor ~750 mg/kg (diet)	
Ozone-Scavenger	
P450-Inducer	
Peristaltic	
Pesticide	
Photosensitizer	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Transdermal	

**Activities (53)**

Acaricide C90=<15 ul/l (= <15 ppm)	
Allergenic	
Analgesic	
Anesthetic 0.01-1 ug/ml	
Antiacetylcholinesterase	
Antiallergic	Huang, K. C. 1993. <i>The Pharmacology of Chinese Herbs</i> . CRC Press, Boca Raton, FL 388 pp.
Antianaphylactic	
Antibacterial MIC=1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against <i>Streptococcus mutans</i> . <i>J. Agric. Food Chem.</i> 41: 1102-1105.
Anticariogenic MIC=1,600 ug/ml	
Anticolic	
Anticonvulsant 200 mg/kg ipr mus	
Antiedemic	
Antiglutamaergic	
Antihistaminic	Huang, K. C. 1993. <i>The Pharmacology of Chinese Herbs</i> . CRC Press, Boca Raton, FL 388 pp.
Antiinflammatory	
Antileukemic IC50=3.5-4.2 ug/ml	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med.</i> 31(1):37-46.
Antilymphomeric IC50=3.5-4.2 ug/ml	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med.</i> 31(1):37-46.
Antimange	
Antimite	
Antimutagenic	
Antiseptic 5 x phenol	Wagner & Wolff, eds. 1977. <i>New Natural Products</i> (RS164. I56. 176)
Antishock	Huang, K. C. 1993. <i>The Pharmacology of Chinese Herbs</i> . CRC Press, Boca Raton, FL 388 pp.
Antispasmodic	Buchbauer, G., Jirovetz*, L., Nikiforov, A., Remberg, G., Raverdino, V. 1989. Headspace-Analysis and Aroma Compounds of Austrian Hay-Blossoms ( <i>Flores Graminis, Graminis Flos</i> ) used in Aromatherapy. <i>J. Ess. Oil Res.</i> , 2: 185-191, 1990.
Antiviral	
Barbituate-Synergist	
Bronchorelaxant	Huang, K. C. 1993. <i>The Pharmacology of Chinese Herbs</i> . CRC Press, Boca Raton, FL 388 pp.
CNS-Depressant	
Cancer-Preventive	Stitt, P. A. <i>Why George Should Eat Broccoli</i> . Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidstat	
Carminative	
Culicide LC50=156-194 mg/l	
Cytotoxic	
Expectorant	Huang, K. C. 1993. <i>The Pharmacology of Chinese Herbs</i> . CRC Press, Boca Raton, FL 388 pp.
FLavor FEMA 2-40	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry
Fungicide	Acta Botanica Sinica, 32: 49.
GABA-nergic	
Hypnotic	
Hypothermic	
Insecticide LC50=156-194 mg/l	
Insectifuge	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Zeebovitz, T. C. Ed. 1989. Part VII. <i>Flavor and Fragrance Substances</i> , in Keith L. H. and Walters, D.B., eds. <i>Compendium of Safety Data Sheets for Research and Industrial Chemicals</i> . VCH Publishers, New York. 3560-4253.
Larvicide LC50=156-194 mg/l	
Mosquitofuge > Deet	
Motor-Depressant	Buchbauer et al, e.g. Buchbauer et al, 1993. Therapeutic properties of essential oils and fragrances. Chap 12 in Teranishi, R., Buttery, R.G and Sugisawa, H. Eds. <i>Bioactive Volatile Compounds from Plants</i> . ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Merck 11th Edition
Pesticide	
Prooxidant	Charalambous, G. (Ed.). 1994. <i>Spices, Herbs and Edible Fungi</i> . Elsevier Science B. V. Amsterdam. 764 pp.
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. <i>New Natural Products</i> (RS164. I56. 176)
Sedative 200 mg/kg ipr mus (1% as active as diazepam)	
Termitifuge	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Trichomonicide LD100=600 ug/ml	
Tumor-Promoter	

**Activities (35)**

(-)Chronotropic 29 ug/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. <i>Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D)</i> , 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
(-)Inotropic 29 ug/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. <i>Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D)</i> , 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Allelochemical	
Analgesic	
Antiacetylcholine	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. <i>Herbal Medicine - A Guide for Health-care Professionals</i> . The Pharmaceutical Press, London. 296pp.
Antibacterial MIC=125-250 ug/ml	
Antibronchitic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Antiescherichic MIC=125 ug/ml	
Antifeedant	
Antiinflammatory	
Antitotic	
Antipyretic	
Antisalmonella MIC=125 ug/ml	
Antispasmodic ED50=0.008 mg/ml	
Antistaphylococic MIC=250 ug/ml	
Antiyeast MIC=250 ug/ml	
CNS-Stimulant	List, P.H. and Horhammer, L., <i>Hager's Handbuch der Pharmazeutischen Praxis</i> , Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
CNS-Toxic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Candidicide MIC=250 ug/ml	
Choleretic	
FLavor FEMA<1	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Hepatoprotective	
Herbicide IC50=470 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, <i>Herbs, Spices &amp; Medicinal Plants: Recent Advances in Botany, Horticulture, &amp; Pharmacology</i> , v. 4, Oryx Press, Phoenix, 1989, 267pp.
Herbicide IC50=470 uM	Keeler, R.F. and Tu, A.T. eds. 1991. <i>Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6)</i> Marcel Dekker, Inc. NY. 665 pp.
Inhalant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Insect-Repellent	
Insectifuge	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Rinzler, C. A. 1990. <i>The Complete Book of Herbs, Spices and Condiments. Facts on File</i> , New York. 199 pp.
Myorelaxant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. <i>Herbal Medicine - A Guide for Health-care Professionals</i> . The Pharmaceutical Press, London. 296pp.
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Pesticide	
Sedative	Medline (post 1990 searches filed in my computer)
Tranquilizer	

## Activities (28)

Allelochemical

Allergenic

Antiacne

Antibacterial

Antifeedant

Antiflu Economic & Medicinal Plant Research, 5: 195.

Antiinflammatory 500 mg/kg

Antipneumonic

Antiseptic

Antispasmodic

Antistaphylococcic

Antiviral Economic & Medicinal Plant Research, 5: 195.

Cancer-Preventive

Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

Coleoptophile

Expectorant

Michael Castleman 1991. The Healing Herbs. Rodale Press, Emmaus, PA 436 pp.

FLavor FEMA 15-150

Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Herbicide IC50=30 uM

Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc.

NY. 665 pp.

Insecticide 0.82 uM/fly

Insectifuge 50 ppm

J. Stored. Prod. Res., 22:141, 1986.

Insectiphile

Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, Londón. 791 pp.

P450-2B1-Inhibitor  
IC50=0.087 uM

Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Perfumery

Pesticide

Lawrence Review of Natural Products, Jun-90.

Sedative

Spasmogenic

Tranquilizer

Transdermal

BENZALDEHYDE	Leaf	--	0.55	-0.47	*
--------------	------	----	------	-------	---

## Activities (24)

Allergenic  
Anesthetic  
Antibacterial  
Anticancer  
Antimutagenic  
Antipeptic  
Antiseptic  
Antispasmodic  
Antitumor  
Candidicide

FLavor FEMA 150-800 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Immunostimulant

Insecticide Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.  
Insectifuge 50 ppm J. Stored. Prod. Res., 22:141, 1986.

Motor-Depressant Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances, Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC

Narcotic Merck 11th Edition

Nematicide Shoyakugaku Zasshi, 44: 183.  
MLC=1 mg/ml

Pesticide

Sedative Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances, Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC

Termiticide LD100=5 mg/g

Tyrosinase-Inhibitor ID50=820 uM

Tyrosinase-Inhibitor ID50=87 ug/ml

Tyrosinase-Inhibitor ID50=0.82 mM

Tyrosinase-Inhibitor ID50=830 uM

ALPHA-TERPINEOL	Leaf	--	2.0	-0.59	*
-----------------	------	----	-----	-------	---

## Activities (23)

ACE-Inhibitor 100 ug/ml (weak activity)	
Aldose-Reductase-Inhibitor 100 ug/ml	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Allelopathic	Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles.Artemisia.344pp.Maffei,M.(Ed)2002.Vetiveria.The Genus Vetiveria.Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999.Tea Tree.The Genus Melaleuca.Harwood Acad.Pub.Amsterdam,Netherlands.
Antiacne	
Antibacterial MIC=800-1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Anticancer	Joseph, J., Nadeau, D. and Underwood, A. 2001. The Color Code. Hyperion, NY.
Anticariogenic MIC=800-1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Antiinflammatory	
Antiproliferant	
Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Cicatrizant ED50=240 ug/g mus	
FLavor FEMA 5-40	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insecticide 1.29 uM/fly	
Interleukin-6-Inhibitor	
Mosquitofuge > Deet	
Motor-Depressant	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	
Sedative	Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances. Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Termitecide IC100=5 mg/g	
Transdermal	
Vulnerary ED50=240 ug/g mus	

## P-CYMENE

Leaf -- 7.0 -0.39 \*

## Activities (16)

Analgesic	Martindale's 28th
Antiacetylcholinesterase IC40=1.2 mM	
Antibacillary	
Antibacterial	
Antiflu	
Antirheumatalgic	Martindale's 28th
Antiviral	
FLavor FEMA 12-250	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Herbicide IC50=50 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Laxative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Pesticide	
Sedative	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Trichomonicide LD100=50 ug/ml	

## ALPHA-TERPINENE

Leaf -- 0.55 -0.31 \*

**Activities (13)**

ACE-Inhibitor 100 ug/ml (weak activity)	
Acaricide	
Aldose-Reductase-Inhibitor 100 ug/ml	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Antiacetylcholinesterase IC50=1.0 mM	
Antinitrosaminic	
Antispasmodic	
FLavor FEMA 1-40	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insecticide 0.86 uM/fly	
Insectifuge	
P450-2B1-Inhibitor IC50=0.76 uM	
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Spasmogenic	

BETA-PINENE	Leaf	--	100.0	-0.28	*
-------------	------	----	-------	-------	---

**Activities (13)**

Allergenic	
Antiinflammatory	
Antiseptic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Antispasmodic	
Candidicide	
FLavor FEMA 15-600	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Herbicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Zbovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	
Spasmogenic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Transdermal	

GAMMA-TERPINENE	Leaf	--	1.0	-0.37	*
-----------------	------	----	-----	-------	---

**Activities (11)**

ACE-Inhibitor 100 ug/ml (weak activity)	
Acaricide	
Aldose-Reductase-Inhibitor 100 ug/ml	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Antiacetylcholinesterase IC23=1.2 mM	
Antifeedant	Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.
Antioxidant	Jim Duke's personal files.
FLavor FEMA 1-40	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Insectifuge	Blaschek, W., Hansel, R., Keller, K., Reichling, J., Rimpler, H., and Schneider, G. eds. 1998. Hager's Handbuch der Pharmazeutischen Praxis, Auflage Band 2 (A-K), 909 pp., (L-Z), 858 pp. Springer-Verlag, Berlin.
Irritant	Zbovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	

TERPINOLENE	Leaf	--	0.55	-0.23	*
-------------	------	----	------	-------	---

**Activities (9)**

Allelochemical	
Antifeedant	
Antinitrosaminic	
Antioxidant	
Deodorant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
FLavor FEMA 15-60	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Keeler, R.F. and Tu, A.T. eds. 1991. <i>Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6)</i> Marcel Dekker, Inc. NY. 665 pp.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	

BENZYL-ALCOHOL

Leaf

--

2.0

-0.76

\*

**Activities (9)**

Allergenic	Martindale's 29th
Anesthetic	Martindale's 28th
Antiodontalgic	Martindale's 28th
Antipruritic	
Antiseptic	Martindale's 29th
FLavor Fema 200-1,200	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	
Pesticide	
Sedative	Jim Duke's personal files.

CAMPHENENE

Leaf

--

0.55

-0.19

\*

**Activities (9)**

Allelopathic	Wright,C.W.(Ed)2002. <i>Medicinal&amp;Aromatic Plants-Industrial Profiles.Artemisia.</i> 344pp.Maffei,M.(Ed)2002. <i>Vetiveria.The Genus Vetiveria.</i> Taylor&Francis.NY,NY.191pp.Southwell,I.,Lowe,R.(Eds)1999. <i>Tea Tree.The Genus Melaleuca.</i> Härwood Acad.Pub.Amsterdam,Netherlands.
Antilithic?	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Antioxidant	Jim Duke's personal files.
Expectorant	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. <i>Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D),</i> 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
FLavor FEMA 15-175	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Hypocholesterolemic?	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Insectifuge	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Pesticide	
Spasmogenic	Fitoterapia No.59-1984.

DELTA-CADINENE

Leaf

5.0

6.0

-0.44

\*

**Activities (9)**

Aldose-Reductase-Inhibitor	
Antiacne	
Antibacterial MIC800 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against <i>Streptococcus mutans</i> . <i>J. Agric. Food Chem.</i> 41: 1102-1105.
Anticariogenic MIC800 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against <i>Streptococcus mutans</i> . <i>J. Agric. Food Chem.</i> 41: 1102-1105.
Antistreptococcic	
Cytochrome-P450-Inducer	
P450-Inducer	
Pesticide	
Testosterone-Inducer	

CARYOPHYLLENE-OXIDE

Leaf

--

10.0

-0.41

\*

**Activities (8)**

Antiedemic	Shimizu,*M., et al. 1990. Anti-inflammatory Constituents of Topically Applied Crude Drugs. IV.1) Constituents and Anti-inflammatory Effect of Paraguayan Crude Drug 'Alhucema' (Lavandula latifolia Vill.)2). Chem. Pharm. Bull. 38(8): 2283-2284, 1990.
Antifeedant	Bettarini, F., Borgonovi, G.E., et al. 1991. Antiparasitic Compounds from East African Plants: Isolation and Biological Activity of Anonaine, Matricarianol, Canthin-6-One and Caryophyllene Oxide. Insect Sci. Applic. 14(1): 93-99, 1993.
Antiinflammatory	Shimizu,*M., et al. 1990. Anti-inflammatory Constituents of Topically Applied Crude Drugs. IV.1) Constituents and Anti-inflammatory Effect of Paraguayan Crude Drug 'Alhucema' (Lavandula latifolia Vill.)2). Chem. Pharm. Bull. 38(8): 2283-2284, 1990.
Antitumor	Zheng, G-Q., Kenney, P.M., and Lam, L.K.T. Sesquiterpenes From Clove ( <i>Eugenia caryophyllata</i> ) As Potential Anticarcinogenic Agents. Journal of Natural Products 55(7): 999-1003, 1992.
Calcium-Antagonist ED50=32 uM gpg	
Fungicide	
Insecticide	Bettarini, F., Borgonovi, G.E., et al. 1991. Antiparasitic Compounds from East African Plants: Isolation and Biological Activity of Anonaine, Matricarianol, Canthin-6-One and Caryophyllene Oxide. Insect Sci. Applic. 14(1): 93-99, 1993.
Pesticide	

## HEXANAL

Leaf

5.0

6.0

\*

**Activities (5)**

Antibacterial MBC=800 ug/ml	
Antisalmonella MIC=400 ug/ml	
Antiseptic 400-800 ug/ml	
FLavor FEMA <1-5	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	

## N-NONANAL

Leaf

--

0.55

\*

**Activities (5)**

Antiseptic	
FLavor FEMA 0.2-6	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	

## MYRTENAL

Leaf

--

2.0

-0.62

\*

**Activities (5)**

Antimalarial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.
Antiplasmodial IC50=5-50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.
Herbicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Pesticide	

## BETA-SELINENE

Leaf

--

25.0

-0.27

\*

**Activities (3)**

Antimalarial IC50=>50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.
Antiplasmodial IC50=>50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

## ALPHA-SELINENE

Leaf

5.0

6.0

-0.67

\*

**Activities (3)**

Antimalarial IC50=>50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.
Antiplasmodial IC50=>50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

## ALPHA-CADINOL

Leaf

--

25.0

0.87

\*

**Activities (3)**

Acaricide  
Antimite  
Pesticide

3-OCTANOL	Leaf	--	0.55	-0.52	*
-----------	------	----	------	-------	---

**Activities (2)**

FLavor FEMA      Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry  
 Perfumery        Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

MYRTENOL	Leaf	--	0.55	-0.45	*
----------	------	----	------	-------	---

**Activities (2)**

Antimalarial IC50=5-50 ug/ml      Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.  
 Antiplasmodial IC50=5-50 ug/ml      Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.

ALPHA-HUMULENE	Leaf	--	110.0	-0.28	*
----------------	------	----	-------	-------	---

**Activities (2)**

Antitumor      Zheng, G-Q., Kenney, P.M., and Lam, L.K.T. Sesquiterpenes From Clove (*Eugenia caryophyllata*) As Potential Anticarcinogenic Agents. Journal of Natural Products 55(7): 999-1003, 1992.  
 Perfumery      Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

2-HEXEN-1-OL	Leaf	--	2.0		*
--------------	------	----	-----	--	---

**Activities (2)**

Antiseptic  
Pesticide

(E)-2-HEXENAL	Leaf	--	50.0	1.0	*
---------------	------	----	------	-----	---

**Activities (2)**

Antiseptic  
Pesticide

PINOCARVONE	Leaf	--	2.0	-0.64	*
-------------	------	----	-----	-------	---

**Activities (1)**

Perfumery      Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

CIS-LINALOOL-OXIDE	Leaf	--	0.55	-0.69	*
N-HEXANOL	Leaf	--	3.0	1.0	*
BENZENE-ACETALDEHYDE	Leaf	--	8.0		*
TERPIN-4-OL	Leaf	--	3.0		*
NOPINONE	Leaf	--	1.0		*
(E,E)-2,4-HEPTADIENAL	Leaf	--	0.55	1.0	*
(E)-BETA-CARYOPHYLLENE	Leaf	--	7.0		*
KHUSINOL	Leaf	--	3.0		*
TRANS-ARBUSCULONE	Leaf	--	0.55		*
BETA-GURJENENE	Leaf	--	0.55		*
4-KETOISOPHORONE	Leaf	--	0.55		*
ALPHA-THUJENE	Leaf	--	1.0	-0.61	*
7-EPI-ALPHA-SELINENE	Leaf	--	15.0		*
CIS-CALAMENE	Leaf	--	0.55		*
HUMULENE-EPOXIDE-II	Leaf	--	155.0		*

TRANS-SABINOL	Leaf	--	2.0		*
7-EPI-ALPHA-EUDESMOL	Leaf	--	105.0		*
ALPHA-CALACORENE	Leaf	--	0.55	-1.0	*
ALPHA-MUUROLOL	Leaf	5.0	6.0	-1.0	*
EPI-ALPHA-CADINOL	Leaf	--	7.0	-1.0	*
GAMMA-CADINENE	Leaf	--	3.0	-0.45	*
GAMMA-MUUROLENE	Leaf	--	8.0	-0.73	*
ALPHA-COPAENE	Leaf	--	2.0	-0.34	*
ENDOFENCHOL	Leaf	--	0.55		*
ALPHA-MUUROLENE	Leaf	--	2.0	-0.7	*
(Z)-3-HEXENOL-ACETATE	Leaf	--	0.55		*
ALPHA-CAMPHOLENAL	Leaf	--	0.55		*
(E)-BETA-DAMASCENONE	Leaf	--	0.55		*
CADINA-1,4-DIENE	Leaf	--	0.55	-0.78	*
CIS-P-MENTH-2-EN-1-OL	Leaf	--	0.55	-0.9	*
ALPHA-YLANGENE	Leaf	--	0.55		*
(Z)-3-HEXENOL	Leaf	--	9.0	1.25	*
1-OCTEN-3-OL	Leaf	--	95.0	0.25	*
BETA-BOURBONENE	Leaf	--	3.0	-0.55	*
CIS-P-MENTH-1,5-DIEN-8-OL	Leaf	--	0.55		*
VALENCENE	Leaf	--	40.0		*
ALPHA-CADINENE	Leaf	--	0.55	-0.43	*
3-OCTANONE	Leaf	--	1.0	-1.0	*
CUBENOL	Leaf	--	7.0		*